



INDUSTRIAL
ACCESS


SISTEMUL DD 150-U + WMS 100 BLE

INDUSTRIAL ACCESS

TRAINING – Scurta introducere



DD 150-U (03): CARACTERISTICI SI FUNCTII



WMS 100 BLE: CARACTERISTICI SI FUNCTII



 **FUNCTII
EXISTENTE**

 **FUNCTII NOI**

Priza integrata

Semnale LED si acustice

Comutator ON/OFF si
Moduri utilizare


DISPLAYUL CU AFISAJELE EXPLICATIVE GHIDEAZA UTILIZATORUL PAS CU PAS PRIN APLICATIE

SET-UP


IDENTIFICARE



ALINIERE



TREAPTA CORECTA




CAROTARE

SOFT START




PRESIUNE OPTIMA



MONITORIZARE




ERORI




ANALIZA


VERIFICARE UTILIZARE




PRESIUNE




DIRECTIA



TREPELE







MODURI




FEEDBACK PRIVIND MODUL DE UTILIZARE SI PRESIUNEA APLICATA DE UTILIZATORI

Analiza privind numarul de ore de si modul de utilizare

- GALBEN → presiunea prea mica
- VERDE → presiunea optima
- ROSU → presiunea prea mare



INFORMATII SI FUNCTII DE PERSONALIZARE IN APLICATIA HILTI CONNECT





MULTUMIM PENTRU ATENTIE!

SISTEMUL DE CAROTARE DD 150-U + WMS 100 BLE

