

Technical data



Additional data


Rated input power*	1,100 W
Weight	2.85 kg
No-load speed, 1st gear	0 – 900 rpm
No-load speed, 2nd gear	3,000 rpm
Power output	630 W
Rated speed	580 / 1,900 rpm
Rated torque	9.6 / 3.2 Nm
Drill spindle connecting thread	1/2" – 20 UNF
Chuck capacity, min./max.	1.5 – 13 mm
Impact rate at no-load speed	0 – 15,300 / 51,000 bpm
Max. torque	40.0 / 14.5 Nm

Drilling range

Drilling diameter in concrete	22 / 13 mm
Drilling diameter in wood*	40 / 25 mm
Drilling diameter in steel	16 / 8 mm
Drilling diameter in masonry*	24 / 16 mm

* Highlighted Data

The A-rated noise level of the power tool is typically as follows: Sound pressure level dB(A); Sound power level dB(A). Uncertainty K= dB.




Advantages

The most powerful tool in its class – for the toughest applications

- Bosch high-performance motor (1100 W) with high torque for the most heavy-duty applications with large diameters (drilling, working with core cutters and holesaws), screwdriving and stirring
- Sturdy metal gear housing for a long lifetime
- Antirotation mechanical overload clutch for a high level of work safety, even in the toughest applications

Functions



What's Included in this Package



in carrying case with auxiliary handle, Accessory

Order number: 0 601 19C 560

- Auxiliary handle
2 602 025 193
- Carrying case
2 605 438 524